


TEXOL
Molecular Engineering

Powered By


gandhar
oil refinery (india) ltd.



AUTOMOTIVE LUBRICANTS
BROCHURE

About Us

Texol Lubritech FZC is part of Gandhar Oil Refinery India Ltd. (GORIL), a leading group with over 34 years of experience in the oil and petroleum products industry. The group has a turnover of USD 650 million and a workforce of over 500 employees. GORIL operates manufacturing facilities located at Taloja, Maharashtra and Silvassa, India.

Texol is the group's third plant established in the United Arab Emirates in 2017 and operates a hybrid lube blending plant with an annual capacity of 200,000 MT.

Texol's product range includes high-performance Transformer Oils, White Oils, Heavy & Light Liquid Paraffin, Petroleum Jelly, Industrial & Automotive Lubricants, and Greases.

Texol markets its products globally through a network of authorized distributors in every country.



Quality is never an accident - It is always the result of high intention, sincere effort, intelligent direction and skillful execution; it represents the wise choice of many alternatives”.

- Late Mr. Simon Philip
Vice Chairman & CEO

34+
years

200,000 MT
annual capacity

500+
employees

Page 01 - 02	COMPANY INTRODUCTION	
	About Us Index	
Page 04 - 05	WHAT'S NEW?	
	Packing Label Anatomy	
Page 06 - 07	PETROL ENGINE OILS	
	TEXOL ULTRA MAX	- Fully synthetic
	TEXOL ULTRA S	- Semi-synthetic
	TEXOL ULTRA X	- Multigrade
	TEXOL ULTRA	- Monograde
Page 08 - 09	DIESEL ENGINE OILS	
	SUPER DUTY MAX	- Fully synthetic
	SUPER DUTY S	- Semi-synthetic
	SUPER DUTY PLUS	- Multigrade
	SUPER DUTY	- Monograde
Page 10 - 11	4T ENGINE OILS	
	4T MAX	- Fully synthetic
	4T S	- Semi-synthetic
	4T X	- Mineral
Page 12 - 13	2T ENGINE OILS & CNG OILS	
Page 14 - 15	ATF & GEAR OILS	
	Mineral ATF Synthetic ATF	
	Synthetic gear oils Multigrade gear oils Monograde gear oils	
Page 16 - 17	COOLANTS, BRAKE FLUIDS & GREASES	
Page 18 - 19	TEXOL APPROVALS AND CREDENTIALS	



AUTOMOTIVE LUBRICANTS

Powering Performance, Protecting Every Drive



Product range
 Classification border
 Gold - Fully synthetic
 Silver - Semi-synthetic
 Standard - Multigrade
 Normal - Monograde



Protection badge
 Product name
 Grade
 API Specifications

Quality badge

LABEL ANATOMY



Brand identity
 Company & product details
 Product name
 Product description
 Advantages
 (Available in 3 Languages)
 Quality & Approval badges
 Note & Manufacturing details



Scan the QR Code
 for more product details

PETROL ENGINE OILS



TEXOL ULTRA MAX

Texol® Ultra Max is a fully synthetic petrol engine oil designed for modern gasoline engines. It offers strong protection against wear, oxidation, and deposits while ensuring smooth performance, engine cleanliness, and reliable operation under all driving conditions.

- SAE 0W-20 API SP
- SAE 0W-30 API SP
- SAE 5W-20 API SP
- SAE 5W-30 API SP
- SAE 0W-20 API SN
- SAE 0W-30 API SN
- SAE 5W-20 API SN
- SAE 5W-30 API SN
- SAE 5W-40 API SN





TEXOL ULTRA S

Texol® Ultra S is a semi-synthetic engine oil for petrol engines, offering balanced protection and performance. It maintains engine cleanliness in daily driving, resists wear and oil degradation, and ensures smooth operation with stable lubrication under extreme conditions.

- SAE 10W-30 API SN
- SAE 10W-30 API SL
- SAE 10W-40 API SN
- SAE 10W-40 API SL



TEXOL ULTRA X

Texol® Ultra X is a mineral-based multigrade petrol engine oil designed for everyday engine use. It supports reliable engine performance by minimizing wear and preventing harmful deposits, while maintaining oil stability and smooth functioning.

- SAE 20W-50 API SN
- SAE 20W-50 API SL
- SAE 20W-50 API SJ
- SAE 20W-50 API SF



TEXOL ULTRA

Texol® Ultra is a monograde mineral-based petrol engine oil intended for conventional and older gasoline engines. It ensures steady lubrication performance while protecting engine parts.

- SAE 40 API SL
- SAE 40 API SF
- SAE 50 API SL
- SAE 50 API SC
- SAE 50 API SF
- SAE 50 API SC

DIESEL ENGINE OILS



TEXOL SUPER DUTY MAX

Texol® Super Duty Max is a fully synthetic heavy-duty diesel engine oil designed for modern engines fitted with after-treatment devices. It offers strong protection against wear, soot, deposits, and oxidation while ensuring stable performance and clean engine operation under tough conditions.

- SAE 10W-30 API CK-4
- SAE 10W-40 API CK-4



TEXOL SUPER DUTY S

Texol® Super Duty S is a semi-synthetic heavy-duty diesel engine oil that delivers reliable wear protection, oxidation resistance, and deposit control while ensuring clean and consistent engine performance under demanding conditions.

- SAE 10W-30 API CK-4
- SAE 10W-40 API CK-4
- SAE 10W-30 API CI-4
- SAE 10W-40 API CI-4



TEXOL SUPER DUTY PLUS

Texol® Super Duty Plus is a multigrade mineral diesel engine oil blended with performance additives to ensure dependable lubrication, good thermal stability, and effective control of engine deposits. It helps protect engine components and supports steady performance.

- SAE 15W-40 API CK-4
- SAE 15W-40 API CI-4
- SAE 20W-50 API CI-4
- SAE 15W-40 API CF-4
- SAE 20W-50 API CF-4



TEXOL SUPER DUTY

Texol® Super Duty is a monograde mineral diesel engine oil designed to deliver stable lubrication, engine wear protection, and resistance to oil degradation under constant operating conditions. It is suitable for older and stationary diesel engines requiring dependable performance.

- SAE 40 API CF
- SAE 50 API CF
- SAE 40 API CD
- SAE 50 API CD

4T ENGINE OILS



INTRODUCING ADVANCED MOTORCYCLE LUBRICANTS



TEXOL 4T MAX

Texol® 4T Max is a fully synthetic four-stroke motorcycle engine oil that complies with JASO MA2 (JASO T903:2023). It provides high clutch friction performance for reliable wet-clutch operation in motorcycles and scooters, ensuring smooth shifting and balanced riding control.

- SAE 10W-40 API SJ JASO MA2
- SAE 10W-50 API SN JASO MA2



TEXOL 4T S

Texol® 4T S is a semi-synthetic four-stroke engine oil for motorcycles and scooters. It offers reliable wear protection, thermal stability, and deposit control, ensuring smooth engine and clutch operation, good clutch performance, and consistent lubrication in both city and highway riding.

- SAE 10W-30 API SN JASO MA2
- SAE 10W-40 API SN JASO MA2
- SAE 10W-30 API SL JASO MA2
- SAE 10W-40 API SL JASO MA2



TEXOL 4T X

Texol® 4T X is a mineral four-stroke oil for motorcycles and scooters, designed for daily riding. It reduces wear, controls deposits, and ensures stable lubrication for consistent engine performance.

- SAE 20W-40 API SN JASO MA2
- SAE 20W-50 API SN JASO MA2
- SAE 20W-40 API SL JASO MA
- SAE 20W-50 API SL JASO MA

2T ENGINE OILS



TEXOL 2-STROKE

TEXOL® 2-Stroke TC-W3 is a two-stroke outboard engine oil designed for water-cooled engines. It is TC-W3 certified and delivers reliable lubrication, low-smoke performance, and protection against wear, deposits, and corrosion in harsh operating conditions.





TEXOL CNG OILS

Texol® CNG engine oil is designed for natural gas and CNG engines. It offers protection against wear, deposits, and oxidation while maintaining engine cleanliness and reliable performance under high-temperature operating conditions.

- SAE 20W50 API SL/CF
- SAE 20W50 API SG/CD



GEAR. GUARD. GO.

**PROTECTION
FOR EVERY SHIFT**



ATF

MINERAL ATF

Texol® Mineral ATF is a mineral-based automatic transmission fluid that ensures smooth gear shifting, wear protection, and oxidation stability while maintaining reliable transmission performance under normal driving conditions.

- DEX III
- DEX II
- ATF TYPE A



SYNTHETIC ATF

Texol® Synthetic ATF is a high-quality automatic transmission fluid that ensures smooth shifting, stable performance, and reliable protection for modern transmissions. It offers good thermal stability and reduces shudder during operation.

- ATF DEX VI
- ATF CVT
- DCT Fluid
- ATF T-4

GEAR OILS

SYNTHETIC GEAR OILS

Texol® Synthetic gear oils are blended from synthetic base oils and advanced additives. These additives provide protection from wear, rust and oxidation. The extreme-pressure additives, based on sulphur and phosphorus chemistry resist high shock loads.

- SAE 75W-90 API GL-5



MULTIGRADE GEAR OILS

Texol® Multigrade gear oils are made using high quality paraffinic lube base stocks and carefully selected gear oil additives. These additives provide protection from wear, rust and oxidation.

- SAE 80W-90 API GL-5
- SAE 85W-140 API GL-5
- SAE 80W-90 API GL-4
- SAE 85W-140 API GL-4

MONOGRADE GEAR OILS

Texol® Monograde gear oils are made using high quality paraffinic lube base stocks and carefully selected gear oil additives. These additives provide protection from wear, rust and oxidation. The extreme-pressure additives, based on sulphur and phosphorus chemistry, resist high shock loads and are lead-free.

- SAE 90 API GL-5
- SAE 140 API GL-4
- SAE 140 API GL-5
- SAE 90 API GL-1
- SAE 90 API GL-4
- SAE 140 API GL-1



**COOL.
CARE.
CONTINUE.**
COOL UNDER PRESSURE

COOLANTS

Texol® Coolants are formulated with special chemical additives to provide a high degree of protection against corrosion for the metal and alloy components in the cooling system with specific reference to aluminium. It is harmless to rubber and does not foam or clog radiators.

- Texol Coolant 33%
- Texol Coolant 50%
- Texol Coolant 100%



PREVENTS FREEZING
**ENSURES
FLOW**



BRAKE FLUIDS

Texol® Brake Fluids are high-quality, non-mineral-based fluids based on glycols and glycol ethers. It is formulated using special purpose additives such as anti-rust, anti-wear and seal swell agents. It is used in the braking system of motor vehicles such as passenger cars, trucks, buses or trailers.

- BRAKE FLUID DOT 3
- BRAKE FLUID DOT 4





GREASES

Texol greases are high-quality, multi-purpose, lithium, calcium, lithium complex, EP additive, and specialty greases formulated to provide outstanding protection against wear, rust, and corrosion in a wide variety of applications. Blended with premium base oils and advanced thickener systems, they offer excellent mechanical stability and water resistance, ensuring reliable performance even under heavy loads and extreme operating conditions.

- Texol Lithium Grease MP2
- Texol Lithium Grease MP3
- Texol Lithium Grease EP2
- Texol Lithium Grease EP3
- Calcium Grease MP2
- Calcium Grease MP3
- Texol Lithium Complex Grease EP2
- Texol Lithium Complex Grease EP3

TEXOL LABORATORY

- Texol Laboratory is the heart of our manufacturing facility.
- Covering an area of 3,200 sq. ft., the laboratory is one of the leading lubricant laboratories in the UAE.
- We have obtained ISO/IEC 17025 Accreditation for our laboratory.



TEXOL APPROVALS AND CREDENTIALS

TEXOL manufacturing facility is certified to ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, and ISO 22716:2007.







**feel
the change
forever**



TEXOL LUBRITECH FZC

P.O. Box 50802, Plot 2B-12, Phase 1, Hamriyah Free Zone, Sharjah, UAE.

+971 6 512 3000 | www.texollubritech.com